FLORENZIA
TILES | SANITARYWARE

VENEER
SERIES

WOOD VIBE


600 x 1200MM




APPLICATION
POSSIBILITIES


The Veneer Collection surfaces are architectural gems that can be used across a spectrum of environments.
You can use these Tiles (Decor) as the backspace, Highlighted, Bathroom, furniture, Exterior, flooring, wa cladding, and much more – imagination is the key.


LIVING ROOM


CAFÉ &
RESTAURANT



MALL &
SHOPPING COMPLEX



SCHOOL



OFFICE


HOTEL


GYM



AIRPORT


RAILWAY


HOSPITAL


BATHROOM
SPACES


EXTERIOR
SPACES



MATT FINISH

Veneer-wood floors are strong and durable. They also withstand seasonal humidity changes in your home. Veneer is an affordable alternative that combines a thinner layer of hardwood, making it a good environmental choice.



VENEER
SERIES



WALNUT DARK

SIZE
600x1200 MM

FINISH
VENEER

RANDOM
04

WALNUT DARK



VENEER
SERIES




WALNUT NATURAL


SIZE
600x1200 MM

FINISH
VENEER

RANDOM
04


WALNUT NATURAL

VENEER
SERIES



BLOSSAM BEIGE

SIZE
600x1200 MM

FINISH
VENEER

RANDOM
04


BLOSSAM BEIGE

VENEER
SERIES



ETHINIC BEIGE

SIZE
600x1200 MM


FINISH
VENEER

RANDOM
04

ETHINIC BEIGE



VENEER
SERIES



GERMAN WOOD

SIZE
600x1200 MM

FINISH
VENEER

RANDOM
04



VENEER
SERIES



GREEK WOOD GOLD

SIZE
600x1200 MM


FINISH
VENEER

RANDOM
06

GREEK WOOD GOLD



VENEER
SERIES



REZORTA CHERRY

SIZE
600x1200 MM


FINISH
VENEER

RANDOM
04

REZORTA CHERRY



VENEER
SERIES



ROSE WOOD

SIZE
600x1200 MM

FINISH
VENEER

RANDOM
04

ROSE WOOD



RANGE OF **DESIGN**



WALNUT DARK



WALNUT NATURAL



BLOSSAM BEIGE



ETHINIC BEIGE



GERMAN WOOD



GREEK WOOD GOLD



REZORTA CHERRY



ROSE WOOD

TECHNICAL SPECIFICATION GSVT

TEST DISCRIPTION	STANDARD AS PER IOS-13006/EN177 GROUP BIB	MEAN VALUE OF GSVT
Deviation in length & width	±0.6 %	±0.3 %
Deviation in thickness	±5.0 %	±4.0 %
Straightness in side	±0.5 %	±0.1 %
Rectangularity	±0.5 %	±0.1 %
Surface flatness	±0.5 %	±0.2 %
Color difference	Unaltered	No change
Glossiness	As per mfg.	As per square
Water absorption	≤ 3 %	≤ 3 %
Modulus of rupture	Min. 35 N/mm^2	Min. 35 N/mm^2
Impact resistance	As per mfg.	Min. 0.55 Porcelain
Surface abrasion resistance	As per mfg.	PEI II-V
MOH's hardness	As per mfg.	Min. 7
Frost resistance	No damage	No damage
Thermal shock resistance	No damage	No damage
Moisture expansion	Nil	Nil
Chemical resistance	No damage	No damage
Stain resistance	Resistant	Resistant
Crazing resistance	As per mfg.	2 Cycle

PACKING DETAIL

Size	600x1200mm
Thickness (approx.)	9.0 mm (approx)
Pieces / Box	2 pcs.
Area / Box	1.44 sq. mtr.
Wt./Box (approx.)	27.5 kgs. (approx)

JOSHBRO
GLOBAL CORP

Dinesh Joshi | +91 98200 60768 | dj@joshbro.in